

Safety Data Sheet



TEL: (08) 9497 3197 EMAIL: sales@walib.com.au

WA LIBRARY SUPPLIES

39b Alex Wood Drive Forrestdale WA 6112

ABN: 90 121 903 210 www.walib.com.au

AQUENCE GA 1251C known as: Adhesin 1251C 21KG - WALIB Bookmate Adhesive Glue

Page 1 of 8

SDS No.: 429260

V001.4

Date of issue: 30.09.2021

Section 1. Identification of the substance/preparation and of the company/undertaking

AQUENCE GA 1251C known as Adhesin 1251C 21KG **Product name:**

Intended use: Water based adhesive

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379 **Emergency information:**

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class Hazard Category

Skin sensitizer Category 1 Acute hazards to the aquatic Category 3 environment Chronic hazards to the aquatic

environment

Category 3

Hazard pictogram:



Signal word:

Warning

V001.4

Hazard statement(s): H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response: P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

General chemical description: M ixture

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone	55965-84-9	0.0015-< 0.06 %
non hazardous ingredients~		60- <= 100 %

Section 4. First aid measures

Ingestion: Rinse out mouth. Do not drink.

In case of adverse health effects seek medical advice.

Skin: Rinse with running water and soap.

If symptoms develop and persist, get medical attention.

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if Eyes:

necessary.

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

First Aid facilities: Eye wash

Normal washroom facilities Treat symptomatically.

Medical attention and special

treatment:

Section 5. Fire fighting measures

Suitable extinguishing media: Extinguish using agent suitable for type of surrounding fire. SDS No.: 429260 V001.4

Decomposition products in case of carbon oxides.

ire: Irritating organic vapours.

Special protective equipment for

Wear protective equipment.

fire-fighters:

Wear self-contained breathing apparatus.

Section 6. Accidental release measures

Personal precautions: See advice in section 8

Danger of slipping on spilled product.

Environmental precautions: Do not empty into drains / surface water / ground water.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Section 7. Handling and storage

Precautions for safe handling: See advice in section 8

Wear suitable protective clothing, gloves and eye/face protection.

Conditions for safe storage: Store in a cool, well-ventilated place.

Keep container tightly sealed and store in a frost free place.

Storage temperature between 5 and 35°C.

Protect from freezing.

Section 8. Exposure controls / personal protection

National exposure standards:

None

Engineering controls: Ensure adequate ventilation.

Eye protection: Safety glasses.

Skin protection: Use of protective coveralls and long sleeves is recommended.

Protective gloves made of rubber.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Appearance: white emulsion Odor: mild

 Odor:
 mild

 pH:
 5.5

 Specific gravity:
 1.06

Boiling point: $100 \, ^{\circ}\text{C} \, (212 \, ^{\circ}\text{F})$

SDS No.: 429260 V001.4

Flash point: Not applicable
Solubility in water: Miscible
Viscosity (dynamic): 4,500 mPa.s

(; 23 °C (73.4 °F); Method: no

method)

Section 10. Stability and reactivity

Stability: Stable under normal conditions of temperature and pressure.

Conditions to avoid: Excessive heat.

Freezing conditions.

Incompatible materials: None known

Hazardous decomposition

products:

Carbon dioxide, carbon monoxide and irritating and/or toxic gases and particulate may be

generated by thermal decomposition or combustion.

Section 11. Toxicological information

Health Effects:

Ingestion: Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea,

and diarrhea.

Skin: Prolonged or repeated contact may cause irritation.

May cause skin sensitization.

Eyes: May cause mild irritation

Inhalation: Inhalation of mist or spray may cause irritation of the respiratory tract and nasal passages.

Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Mixture, 3(2H)-	LD50	66 mg/kg	oral		rat	OECD Guideline 401 (Acute
Isothiazolone, 5-chloro-2-	LC50	0.171 mg/l	inhalation	4 h	rat	Oral Toxicity)
methyl-, mixt. with 2-	LD50	87.12 mg/kg	dermal		rabbit	OECD Guideline 403 (Acute
methyl-3(2H)-						Inhalation Toxicity)
isothiazolone						OECD Guideline 402 (Acute
55965-84-9						Dermal Toxicity)

Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
Mixture, 3(2H)-	corrosive	4 h	rabbit	OECD Guideline 404 (Acute
Isothiazolone, 5-chloro-2-				Dermal Irritation / Corrosion)
methyl-, mixt. with 2-				
methyl-3(2H)-				
isothiazolone				
55965-84-9				

Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
Mixture, 3(2H)-	Category 1 (irreversible effects on the eye)		rabbit	not specified
Isothiazolone, 5-chloro-2-				
methyl-, mixt. with 2-				
methyl-3(2H)-				
isothiazolone				
55965-84-9				

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	sensitising	Guinea pig maximisat ion test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	sensitising	Mouse local lymphnod e assay (LLNA)	mouse	not specified

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study/ Route of administration	Metabolic activation / Exposure time	Species	Method
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	ambiguous positive positive negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro	with and without with and without with and without not applicable		equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay) EPA OPP 84-2 (Mutagenicity Testing) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	negative negative negative negative negative	oral: gavage oral: gavage oral: feed oral: gavage oral: gavage		mouse mouse Drosophila melanogaster rat	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test) OECD Guideline 477 (Genetic Toxicology: Sex-linked Recessive Lethal Test in Drosophila melanogaster) OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo) EPA OPP 84-2 (Mutagenicity Testing)

AQUENCE GA 1251C known as Adhesin 1251C 21KG

V001.4

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	NOAEL=16.3 mg/kg	oral: drinking water	90 ddaily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	NOAEL=0.34 mg/m3	inhalation: aerosol	90 d6 h/d, 5 d/w	rat	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)
Mixture, 3(2H)- Isothiazolone, 5-chloro-2- methyl-, mixt. with 2- methyl-3(2H)- isothiazolone 55965-84-9	NOAEL=2.625 mg/kg	dermal	90 d6 h/d	rat	EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)

Section 12. Ecological information

General ecological information: Do not empty into drains / surface water / ground water.

Ecotoxicity: Harmful to aquatic life.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity	Exposure time	Species	Method
			Study			
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	LC50	0.22 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	NOEC	0.098 mg/l	Fish	28 d	Oncorhynchus mykiss	OECD Guideline 210 (fish early lite stage toxicity test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50	0.12 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50	0.0052 mg/l	Algae	48 h	Skeletonema costatum	OECD Guideline 201 (Alga, Growth Inhibition Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	NOEC	0.00064 mg/l	Algae	48 h	Skeletonema costatum	OECD Guideline 201 (Alga, Growth Inhibition Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC20	0.97 mg/l	Bacteria	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

Persistence and degradability:

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		

AQUENCE GA 1251C known as Adhesin 1251C 21KG

Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9	, .	aerobic	100 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9		aerobic	> 60 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Mixture, 3(2H)-Isothiazolone,		3.6		calculation		QSAR (Quantitative
5-chloro-2-methyl-, mixt. with						Structure Activity
2-methyl-3(2H)-isothiazolone						Relationship)
55965-84-9						
Mixture, 3(2H)-Isothiazolone,	-0.71 -				20 °C	OECD Guideline 117
5-chloro-2-methyl-, mixt. with	0.75					(Partition Coefficient (n-
2-methyl-3(2H)-isothiazolone						octanol / water), HPLC
55965-84-9						Method)

Section 13. Disposal considerations

Waste disposal of product: Dispose of according to Federal, State and local governmental regulations.

Recommended cleanser: Clean the packaging with water.

Disposal for uncleaned package: Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule None

Section 16. Other information

Abbreviations/acronyms: IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

ADGC - Australian Dangerous Goods Code

AIIC - Australian Inventory of Industrial Chemicals (AIIC) AICIS - Australian Industrial Chemicals Introduction Scheme

SDS No.: 429260 V001.4

AQUENCE GA 1251C known as Adhesin 1251C 21KG

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 1 - 16

Date of previous issue: 05.10.2016

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.