



Hydestor Shelving

Your high quality, flexible shelving solution!



CUA Government Preferred Supplier

WA Library Supplies is a supplier on the CUA FRN2017 Office and Classroom Furniture for Panel A, B & C

Safety / Quality

Hydestor shelving meets and exceeds the Australian Standards AS/2274. Designed and engineered in New Zealand and built to withstand earthquakes - making it robust, stable and safe.

Environmental

Hydestor shelving is endorsed by Environmental Choice New Zealand. The shelving has been assessed and tested to meet stringent, world class environmental tests across the whole life cycle.

Style

Large range of shelving styles and accessories available to showcase your collections in the best possible way. Library shelving that never goes out of style

Colour

Powdercoated with the Dulux powders range. You will be sure to find a colour that will suit your library. WA Library Supplies consultants can come and help you choose the perfect colour.



Furniture and Fittings
Licence No: 3212116

Free Expert Advice / WA Local Supplier

WA Library Suppliers are experts in Hydestor Library Shelving. We offer free advice and library layout consultations on how to best use shelving in your space.

Because we are local to you, if you need anything we are just around the corner and can come and visit your library to provide advice.

Trusted Brand

Hydestor has been manufacturing shelving since 1989. With its longevity in the market you can be assured that over-time if you need additional components for your shelving Hydestor shelving will be there.

Safety Features

Hydestor shelving has the following vital safety features for your library:

1. Massive Shelf Loadings

The standard Hydestor shelf loading is 80kg for a 250mm deep shelf. This exceeds the Australian Standard of 50kg.

2. High Tensile Steel

Allows for shelf deflection. Hydestor shelving may deflect slightly under a heavy load but will return to normal when the load is reduced. Sheet steel shelves will deflect permanently

3. Collapse Factor

Hydestor shelves have a 2:1 collapse factor. The shelves will not collapse unless overloaded with twice the rated safe load - for a 250mm deep shelf with a safe loading rate of 80kg, the collapse rating is 160kg.

4. Smooth Edged Shelves

Shelves have a rolled front and back edge to increase strength and stability and to prevent cuts caused by sharp edges.

5. Seismic Bracing

As an additional safety and performance feature, seismic bracing (diagonal rods and turnbuckles) is used on all Rollaway shelving and Static shelving that exceeds 1.775m. This bracing stiffens the units, protecting them from lateral movement.

6. Back Braces

Hydestor back braces come with a unique safety locking device which prevents dislodgement (a feature not included in all shelving systems). This ensures the shelving is incredibly sturdy and safe.

7. Cross Frame Bracing

Additional bottom frame bracing is provided to strengthen and prevent movement of Rollaway frames.

8. Bolt Through Heavy Duty Castors

Heavy duty 100mm castors are used for Rollaways making them strong and easy to move. The castors are bolted through the frame rather than "to" the frame which prevents the castors from buckling under the weight of the shelving. Braking castors are provided to stop 'unauthorised' movement of shelving.



Bolt Through Heavy Duty Castors



Seismic & Back Bracing



Cross Bracing

HYDESTOR SHELVING LTD Warranty Conditions for Goods & Services

The warranties herein form part of the TERMS AND CONDITIONS OF TRADE. The general conditions of Warranty and Guarantees and the general conditions for claims are contained in this Agreement.

1. TEN YEAR (10) WARRANTY

Shelving, Racking, and Accessories.

Materials and Parts used in servicing or repair.

The Company's liability for defective Goods or Services is limited to repair or replacement in terms of this Warranty and the Terms and Conditions of Trade. In no circumstances is the Company liable for any other direct or consequential losses incurred by the Buyer or any other third party.

2. NO WARRANTY PROVIDED

The parties agree that no warranty shall apply to the Goods where:

- (a) the Goods have not been paid in full.
- (b) the Goods are used and operated by persons not technically competent to do so.
- (c) the Goods have been subject to careless use, accident or careless operation by the Buyer or another person.

(common abuse is by impact, poor handling, using shelving or racking as a ladder or step or incorrect weight distribution for the specification).

- (d) the Goods have been subject to abnormal wear and tear.
- (e) the Goods have been improperly serviced or maintained and/or the Buyer does not use the Company's written maintenance programme.
- (f) the goods are mixed with or used in conjunction with other materials not approved by the company.
- (g) the Goods have been sold on auction or as a non-standard lot.
- (h) the Goods are outside of the warranty period.
- (i) Utilities or other property of the Buyer used in conjunction with the Goods is not covered by this Warranty.
- (j) Goods which were supplied and installed by the by the Company have subsequently been relocated by any third party.

3. TEN YEAR (10) WARRANTY FOR INSTALLATION AND MAINTENANCE SERVICE (Workmanship)

Installation and Maintenance Services (workmanship) shall mean workmanship which is provided by the Company which is used in structural erection or installation and shall include:

- (a) workmanship of structural installation of Goods or materials.
- (b) correction of evacuation of redundant materials.
- (c) correction for surfacing.
- (d) correction of installation to design specifications.
- (e) other reasonable faults at the discretion of the Company.

NOTE: IT IS AN AGREED CONDITION OF THIS AGREEMENT THAT RISK OR LOSS DAMAGE OR DETERIORATION IS THE RESPONSIBILITY OF THE BUYER AND IT IS ALSO AN AGREED CONDITION THAT THE BUYER WILL INSURE THE GOODS FROM FIRE AND LOSS.

4. RELOCATIONS

Where any Goods supplied and installed by the Company are subsequently relocated by the Company and the Buyer has complied with the terms of its original warranty, then:

- (a) if the Buyer is entitled to the benefit of the balance of the original five year warranty then that original warranty is extended from the expiry date on the same terms and conditions, for a further 2 years.
- (b) the Company grants to the Buyer a new two year warranty on the relocated goods on the same terms and conditions as the original warranty.

5. NO WARRANTY PROVIDED

The parties agree that no warranty shall apply to Services (workmanship) where:

- (a) the services have not been paid in full and according to the terms of payment agreed in the Quotation.
- (b) the Goods owned by the Buyer to which services have been applied are used and operated by persons not technically competent to do so.
- (c) the Goods owned by the Buyer to which services have been applied have been subject to careless use, accident or careless operation by the Buyer or another Person.
- (d) the Goods owned by the Buyer to which services have been applied have been Subject to normal wear and tear.
- (e) the Goods owned by the Buyer to which services have been applied have been improperly serviced or maintained and/or the Buyer does not use the Company's written maintenance programme.

For Warranty Information Contact Your Authorised Distributor for HYDESTOR SHELVING LTD

WA Library Supplies
Address: 39b Alex Wood Drive, Forrestdale, WA, 6112
Phone: (08) 9497 3197
Email: Sales@walib.com.au
Web: www.walib.com.au

ENVIRONMENTAL CHOICE NEW ZEALAND LICENCE



Scan here for a complete
list of licensed products.

Cert.TM

THIS IS TO CERTIFY THAT

Hydestor Shelving Ltd

Has products that have been assessed by The New Zealand Ecolabelling
Trust which have been found to comply with the requirements of the
Environmental Choice Specification

EC-32-17

Furniture, Fittings &
Flooring

The licence holder is hereby licensed to use the Environmental
Choice New Zealand label in accordance with the requirements of the
specification, the licence conditions and the regulations governing the
use of the certification trade mark.

LICENCE NUMBER

3212116

CHAIRPERSON

K McDonald

VALID UNTIL

November 2019

GENERAL MANAGER

Pip Scoude

The Environmental Choice New Zealand
programme is operated by The New Zealand
Ecolabelling Trust by agreement with the
New Zealand Government.

Freestanding Frame Options



Freestanding Single Sided Posts

Height Options: 775mm to 2375mm (height sizes go up in 100mm increments)

Additional Back Bracing is provided on heights 1875mm and above
Wall or Feet fixing brackets are provided for 1575mm and above
Shelving can be adjusted at 25mm increments

1 Bay Dimensions: 945mm W x 365mm D

Each Bay Extension: 913mm W x 365mm D



Freestanding Double Sided Posts - Standard

Height Options: 775mm to 2375mm (height sizes go up in 100mm increments)

Additional Back Bracing is provided on heights 1875mm and above
Wall or Feet fixing brackets can be provided for 1975mm and above
Shelving can be adjusted at 25mm increments

1 Bay Dimensions: 945mm W x 655mm D

Each Bay Extension: 913mm W x 655mm D

** should be used when shelf depths are 300mm or more deep*



Freestanding Double Sided Posts - Slimform

Height Options: 775mm to 2375mm (height sizes go up in 100mm increments)

Additional Brack Bracing is provided on heights 1875mm and above
Wall or Feet fixing brackets can be provided for 1975mm and above
Shelving can be adjusted at 25mm increments

1 Bay Dimensions: 945mm W x 555mm D

Each Bay Extension: 913mm W x 555mm D

Rollaway Frame Options



Rollaway Single Sided Unit

Height Options: 775mm to 1675mm (height sizes go up in 100mm increments)

Heavy duty 100mm Castors are used to support weight

Shelving can be adjusted at 25mm increments

1 Bay Dimensions: 945mm W x 505mm D*

Each Bay Extension: 913mm W x 505mm D*

** 1675mm has a base of 525mm D*



Rollaway Double Sided Unit- Standard

Height Options: 775mm to 1875mm (height sizes go up in 100mm increments)

Heavy duty 100mm Castors are used to support weight

Shelving can be adjusted at 25mm increments

1 Bay Dimensions: 945mm W x 655mm D

Each Bay Extension: 913mm W x 655mm D

** should be used when shelf depths are 300mm or more deep*



Rollaway Double Sided Units - Slimform

Height Options: 775mm to 1775mm (height sizes go up in 100mm increments)

Heavy duty 100mm Castors are used to support weight

Shelving can be adjusted at 25mm increments

1 Bay Dimensions: 945mm W x 555mm D

Each Bay Extension: 913mm W x 555mm D





Shelf Styles

- | | | |
|----------------------------|-------------------------------|----------------------------|
| 1. Canopy shelf | 6. Display Shelf 60mm front | 11. Uptilt browser bin |
| 2. 2 tier display unit | 7. Serial Display shelf 100mm | 12. DVD presentation shelf |
| 3. 3 tier display unit | 8. Base uptilt shelf | 13. AV shelf Front Facing |
| 4. Slotted divider shelf | 9. Flat Library Shelf | 14. 2 tier AV shelf |
| 5. 15-60 deg display shelf | 10. Library book bin | 15. Uptilt browser bin |

Contact Us for a Free Shelving Design, Measure and Quote.

Flat Library Shelves

Shelf Depths: 200, 225, 250, 300 and 375mm

Features:

25mm back lip to prevent books falling off back of shelf

1° backward tilt to assist with book retention

Can be used to create a display shelf with 15-60° brackets

Use for:

All library collections spine out display

Shelf Set Includes:

1 x Shelf + 2 Underslung Brackets



Display Shelves on 15-60° Brackets

Shelf Depths: 200, 250 and 300 mm

Front Display Lip: 25mm or 60mm

Features:

Shelf is adjustable on brackets, positions 15-30-45 or 60° tilt

25mm lip for small books

60 mm lip for large books or multiple books

Use for:

All library collections front facing display

Shelf Set Includes:

1 x Shelf + 2 x 15-60° bracket + nuts and bolts



Uptilt Base Shelf

Shelf Depths: 150, 200, 250 and 300 mm

Back Height: 100mm

Features:

Tilts spine titles up 20° making it easier to view titles without binding down


Shelf can be positioned along the bracket to sit forward from the vertical post

Use for:

All library collections spine facing display on an upward tilt

Shelf Set Includes:

1 x Shelf + 2 x base uptilt brackets + nuts and bolts



Welded Uptilt Shelf

Shelf Depths: 200 and 250 mm

Back Height: 100mm

Features:

Similar to the Uptilt Base Shelf but shelves are a one piece bracket and shelf combination.


Use for:

All library collections spine facing display on an upward tilt

Shelf Set Includes:

1 x shelf and bracket combination + nuts and bolts





Shelf Styles

- | | |
|--|---|
| 1. Display Shelf 20mm front lip on 15-60° bracket | 8. Flat Library Shelf 300mm with book bin |
| 2. Display Shelf 60mm front lip on 15-60° bracket | 9. Uptilt Base Shelf |
| 3. Display Shelf 60mm front on 45° deg bracket | 10. Low Profile Browser Bin with 5 Dividers |
| 4. Serial Shelf 100mm front lip on 45° deg bracket | 11. Uptilt Browser Bin with 5 Dividers |
| 5. Flat Library Shelf 200mm | 12. Book Tub |
| 6. Flat Library Shelf 250mm with book bin | 13. Slotted Divider Shelf with Front Lip |
| 7. Flat Library Shelf 300mm with Reference Shelf | |

Contact Us for a Free Shelving Design, Measure and Quote.



Low Profile Browser Bin Shelf

Shelf Depths: 200, 250 and 300 mm

Front Lip Height: 60 mm

Back Height: 120 mm

Features:

120mm back lip to prevent books falling off back of shelf

12° backward tilt to help books 'fall' backwards

60mm front lip can be used for signage display

Slotted base at 35 mm intervals to insert low profile dividers

Use for:

Front facing 'flip' display of Picture Books (use 2 dividers per shelf to create 3 compartments per shelf), Series Books and DVDs (use 5 dividers per shelf to create 6 compartments)

Shelf Set Includes:

1 x Shelf + 2 x LP Browser Bin Uptilt Brackets + dividers



Uptilt Browser Bin Shelf

Shelf Depths: 200 and 250 mm

Front Lip Height: 50 mm

Back Height: 200 mm

Features:

Similar to the low profile browser bin shelf with a higher back for larger or heavier books.

Dividers are the full height of the the back shelf

Use for:

Front facing 'flip' display of all library collections

Shelf Set Includes:

1 x Shelf + 2 x Uptilt Brackets + dividers



Book Tub

Shelf Depths: 200 and 250 mm

Back and Front Height: 170mm

Features:

High back and front to retain books.

One piece bracket and shelf combination.

Use for:

Front facing 'flip' display of picture books.

Shelf Set Includes:

1 x combination shelf and bracket



Paperback Display Shelf

Shelf Depths: 115 mm

Back Height: 195 mm

Bracket lengths: 200, 250 or 300 mm

Features:

Shelf depth wide enough to display paperbacks front facing or spine out.

12° backward tilt to help retain books on shelf. Option of 3 bracket lengths to create a tiered display or to place paperbacks forward from the post so they don't get lost at the back of the shelf.

Use for:

Front facing or spine out display of paperbacks

Shelf Set Includes:

1 x Paperback display shelf + 2 paperback shelf brackets + nuts & bolts



Shelf Styles

- | | |
|---|--------------------------------------|
| 1. Clearview Shelf | 7. Bag Rail |
| 2. Flat Library Shelf 300mm | 8. 2 Tier Magazine Display Shelf Set |
| 3. Zig Zag Display | 9. 3 Tier Magazine Display Shelf Set |
| 4. Slotted Divider Shelf | 10. DVD Presentation Shelf |
| 5. Periodical Shelf Set | 11. AV Shelf Front Facing |
| 6. Tiered Paperback Display Shelves with 4 tiered depth options | 12. 2 Tier DVD Front Facing Display |
| | 13. 3 Tier DVD Front Facing Display |

Contact Us for a Free Shelving Design, Measure and Quote.

Slotted Divider Shelf

Shelf Depths: 250 and 300 mm

Back Height: 200 mm

Features:

Slotted base and back at 35 mm intervals with easily adjustable dividers to break up small collections on one 900 mm shelf.

Use for:

Spine out display of all library collections where the collection needs to be broken up along one shelf for ease of book retrieval or division of the collection.

300mm deep shelves can also be used to display magazines laying flat for face-up display and back-issue storage.

Shelf Set Includes:

1 x Slotted Base Shelf, 1 x Slotted Rear Shelf, 2 x End Plates + dividers



Slotted Divider Shelf with Front Lip

Shelf Depths: 200 and 250 mm

Back Height: 200 mm

Front Lip Height: 50 mm

Features:

Similar to the slotted shelf but with an upturned front lip for book retention with front facing display and for shelf signage.

Use for:

Spine out or Front Facing display of all library collections.

Shelf Set Includes:

1 x Slotted Base Shelf, 1 x Slotted Rear Shelf, 2 x End Plates + dividers



Serial Display Shelves

Shelf Depth: 300 mm

Front Lip Height: 100 mm

Features:

Large 100mm lipped front, used on heavy duty 45° or 60° angled brackets to store multiple titles or back issues.

Use for:

Front Facing display of Magazines including their back issues.

Shelf Set Includes:

1 x Serial Display Shelf 2 x Heavy Duty Angled Brackets (45° or 60°)



Clearview Shelf

Shelf Depth: 200 mm

Features:

A space saving display of magazines or journals with clear acrylic dividers set at a 45° angle to so that each issue can be viewed.

Each aperture can be positioned in increments of 25 mm, with up to 10 divisions per shelf.

Use for:

Front Facing display of Magazines

Shelf Set Includes:

1 x Slotted Clearview Shelf, 2 x 225 mm Canopy Brackets and 11 Clear-view Acrylic Dividers





Tier Display Shelves - 2 shelf or 3 shelf configuration

Shelf Height: 250 mm

Front Lip: 40mm High x 40 mm deep

Deeper Front Lip Also available for Base Tray: 40 mm H x 70mm D

Features:

Tiered display shelves with turned up front lip to hold items on the shelf but still allow for maximum viewing of all titles on display.

Use for:

Face out display of picture books, magazines, serials, brochures.

Combine multiple tiered sets to create a large display area with high impact.

Shelf Set Includes:

2 or 3 x Tiered Display Shelves, 2 x Slotted Brackets



Periodical Shelf Set

Shelf Height for Front Display: 300 mm

Shelf Depth for Flat Back Issues: 300mm

Features:

Display shelf sits at the front of the shelf and can be tilted up and pushed back to access back issues of magazines.

Use for:

Face out display of magazines and storage of back issues.

Shelf Set Includes:

1 x Tilted Display Shelf, 1 x 300mm D Flat Shelf, 2 Brackets



AV Shelf - Front Facing

Shelf Depths: 125 mm or 150 mm

Features:

Front facing display for flip through use. Optional clear dividers to allow for internal separation if required. Front upturned lip and rod to retain items on shelf. Front lip can also be used for signage.

Use for:

Face out display of DVDs

Shelf Set Includes:

1 x AV Shelf, 2 x brackets + optional clear dividers (5 to give 5 compartments of DVDs per shelf).



AV Tiered Shelves 2, 3 & 4 shelf configurations

Tier Depth: 150 mm

2 Tier Total Depth: 300 mm

3 Tier Total Depth: 450 mm

4 Tier Total Depth: 600 mm

Features:

Same as for AV Shelf - Front Facing

Use for:

Face out display of picture books, magazines, serials, brochures.

Combine multiple tiered sets to create a large display area with high impact.

Shelf Set Includes:

2, 3 or 4 x Tiered Display Unit, 2 x Brackets + optional clear dividers

AV Shelf Front & Spine Display

Back Height: 120 mm

Shelf Depth: 150 mm

Features:

The shelf has a central 'indented groove' running the length of the shelf which allows DVDs to be faced out without slipping off the shelf. The shelf is also deep enough to allow DVDs to be stored spine out.

Use for:

Front facing or spine out or a combination of both for DVDs.

Shelf Set Includes:

1 x AV Shelf, 2 x brackets



DVD Presentation Shelf

Shelf Depth: 130 mm

Features:

In-built divider to angle DVDs on a 45°. Displays up to 13 DVDs.

Use for:

Front facing display of DVDs.

Shelf Set Includes:

1 x all-in-one DVD presentation shelf



AV Rear Display Shelf

Back Height: 150 mm

Shelf Depth: 40 mm

Front Lip: 25 mm

Features:

Slim profile for single issue display.

Use for:

Front facing display of single titles

Shelf Set Includes:

1 x AV all-in-one rear display shelf



AV Bag Rail

Pole Styles: 'S' Shaped or Round Pole

Features:

The 'S' shaped pole has grooves to hang storage bags with an 'S' shaped handle. The round pole can be used for hanging bags.

Use for:

Display of multi-media collections in hanging bags.

Shelf Set Includes:

1 x AV Bag Rail, 2 x brackets





Rollaway Base Shelf

Features:

Completes the 'look' of your shelving by hiding structural bracing. The shelf is also suitable for displaying books on easels.

Shelf Set Includes:

1 x Rollaway Base Shelf



Canopy Shelf Single Sided

Features:

Comes with either a 35mm or 70mm back spacer at the rear of the shelf that fills the cavity between the shelf and the upright post.

Shelf Set Includes:

1 x Canopy Shelf, 2 x Canopy Brackets



Canopy Bridge Shelf Double-Sided - 1 Bay

Features:

An attractive 'One Piece' top shelf designed to fit the top of a double-sided unit.

Seamlessly interlocking into library end panels to create an encased book case design.

Shelf Set Includes:

1 x Canopy Shelf, 4 x Canopy Brackets



Canopy Bridge Shelf Double-Sided - 2 Bay

Features:

An attractive 'One Piece' top shelf designed to fit the top of a double-sided, 2 bay unit.

Seamlessly interlocking into library end panels to create an encased book case design.

Shelf Set Includes:

1 x Canopy Shelf, 6 x Canopy Brackets





Library Shelf Bin

Bin Depths: 200 and 250 mm (to fit shelf depths)

Bin Widths: 200 and 250 mm (to fit width of books for display)

Back Heights: 132 and 250 mm (to fit height of books for display)

Features:

The book bin clips onto the back lip of your shelf to safely secure the book bin on the shelf.

Use for:

Create front facing display of books on any library metal shelf with a back lip of 25 mm high

Shelf Set Includes:

1 x combination shelf bin with back clips



Zig Zag Support

Shelf Width: 875 mm


Shelf Height: 150 mm

Features:

Sits flat on shelf to create an angled display for books.

Shelf Set Includes:

1 x Zig Zag Support



Bookends

Small, medium, large and jumbo sized bookends available.

Can be coloured to match your shelving or choose from our standard neutrals or bright colours.



Checkmate Book Support

Colour:

Grey or White

Features:

Clips underneath front shelf lip to hold books upright on shelf or to create sections on your shelf



Signage can be attached to the book support to create section dividers.

No sharp edges reducing damage to your books and covers.


Optional Signage Support Bar

Features:

Slides into posts to create a flat surface to display magnetic stands.



DOUBLE SIDED LIBRARY ROLLAWAY



SINGLE SIDED LIBRARY STATIC

© COPYRIGHT
2019

HYDESTOR SHELVING LTD

DESIGNERS AND SUPPLIERS OF STEEL SHELVING SYSTEMS
AUCKLAND WELLINGTON CHRISTCHURCH

ORIGINAL
A3

CHECKED
D.S.

SCALE
N.T.S.

SHEET
1

SERIES OF
1

CUSTOMER APPROVED
SIGNED: _____

DATE: _____

AUTHOR
J.H.

DATE
16.12.19

REFERENCE No.
19-0967

End Panels

Contact us for pricing and colour options



End panels offer a cost-effective way to enhance the look of your library. They can be used to update the look of your existing shelving or added to your new shelving to compliment your new design. They are available in variety of materials, colours and styles from standard options through to fully customised and designed for your library.

The end of your shelving is a perfect location for the promotion and display of books. Display shelves can be added to most styles of end panels.

Location signage can also be added to end panels to help your users navigate their way around the shelves.

Standard Square Edge with Slots



R20 Plain Curved Edge



R20 Plain Curved Edge with Slots



R20 Plain Curved Edge with Slats



R20 Plain Curved Edge Slats & Slots



Autex Cube End Panel



Custom End Panel



Melamine Slat Wall End Panel



Melamine End Panels for Hydestor Shelving

Custom made to suit your libraries' colour and style.

FEATURES

- ✓ Made from Australian MDF board with ABS edging
- ✓ 3 Year Warranty
- ✓ Aluminum slats for display
- ✓ Variety of colour options



STANDARD RANGE OPTIONS

Colours: Formica or Laminex Colour Ranges

Brackets: supplied to hang end panels on Hydestor Shelving


Size: Made to fit shelving

Aluminum Slats: Select none or up to 6 per end panel



CUSTOM OPTIONS

- Straight End Panel with Overlapping Feature Panel
- Straight End Panel with Coloured Acrylic Panel
- Full Shelf Encasing (sides and top of shelving)
- Customised designs



Hydestor Straight Metal End Panels

End panels that are long-lasting and designed to suit Hydestor Metal Shelving.

FEATURES

- ✓ Easy to Install
- ✓ 10 Year Warranty
- ✓ Slat Wall Slots can be added
- ✓ Display shelves can be added
- ✓ Variety of colour options

STANDARD RANGE OPTIONS

Colours: Dulux Powder Coat Range

Size: Made to fit shelving




*Square Edge Tapered Top with
Slatwall Slots.
Also available in a Straight Top*



R20 Plain Curved Edge with side slots

CUSTOMS OPTIONS

- > 250mm Deep Display Shelves
- > 300mm Deep Display Shelves



*Standard Square Panel with side slots and display
shelves*




*Standard Square Panel with Side Slots, Display
Shelves and Bridge Canopy Shelf*

Autex Fabric with Metal Frame End Panels

Colourful end panels with the option to add metal display shelves.

FEATURES

- ✓ Easy to Install
- ✓ 10 Year Warranty
- ✓ Hook and loop receptive
- ✓ Accoustic quality
- ✓ Display shelves can be added
- ✓ Variety of colour options
- ✓ Frame to match Hydestor Shelving



STANDARD RANGE OPTIONS


Autex Panel Colours: Any colour from the Autex range

Frame & Shelving Colours: Dulux Powder Coat Range

Size: Made to fit shelving

VARIATION OPTIONS

- > 250mm Deep Display Shelves
- > 300mm Deep Display Shelves



End Panel shelves can be positioned at any point on the end panel